Journal of Materials
Index to Volume 4
1969

Number	Month of Issue	Pages
1	March	1–248
2	June	249–494
3	September	495–777
4	December	777–1038

A

Acquaviva, S. J.: Residual stresses in an overstrained thick-walled cylinder as affected by stress relief treatment, June, 286

Aggregates
- mechanisms of frost action in concrete aggregates (Cady), June, 294

Aging
- current research on the structure and mechanical properties of rubber-modified thermoplastics (Bucknall), March, 214

Air entrainment
- effect of porosity on the strength of concrete (Popovics), June, 356

Aluminum and its alloys
- cumulative fatigue damage under cyclic strain control (Topper, Sandor, and Morrow), March, 189
- cyclic stress-strain and fatigue behavior of representative aircraft metals (Endo and Morrow), March, 159
- determination of the cyclic stress-strain curve (Landgraf, Morrow, and Endo), March, 176
- development of a buoyancy material for the deep submergence search vehicle (Vath and Colletti), December, 948
- importance of mass transfer in determining the corrosion rate of aluminum using polarization measurements (Craig and Scott), September, 540
- Neuber's rule applied to fatigue of notched specimens (Topper, Wetzel, and Morrow), March, 200
- polarization methods for measuring the corrosion of metals buried underground (Jones and Lowe), September, 600
- stress corrosion of aluminum alloy 7075-T651 in organic liquids (Procter and Paxton), September, 729

Aluminum-silicon alloy
- direct observation of the effect of particle size on dispersion hardening (Prince and Richman), March, 145

Anctil, A. A.: *See* Kula, E. B. and Anctil, A. A.

Arc lamp
- comparison of sunlight and carbon arc exposure of polyesters by resulting chemical activity (Mackinney), March, 92

Asphalt
- early hardening of asphaltic binder in bituminous pavement mixtures (Bright, Justice, and Steele), March, 231

Atmospheric exposure
- resistance of passenger tires to atmospheric exposure (Hofmann and Miller), March, 31

Austenitic stainless steels
- solid solubility of nitrogen in various commercial austenitic stainless steels (Cox and Eckel), June, 282

Automobile tires
- resistance of passenger tires to atmospheric exposure (Hofmann and Miller), March, 31
- review of test methods for tire friction characteristics (Meyer and Schrock), March, 44

Axles
- fatigue strength of induction hardened railway axles (Nishioka, Ishii, and Komatsu), June, 413

B

Beryllium
- fracture toughness of beryllium (Harrod, Hengstenberg, and Manjoine), September, 618

Biaxial test
- analysis of the biaxial strip test for polymeric materials (Cost and Parr), June, 312

Bituminous materials
- early hardening of asphaltic binder in bituminous pavement mixtures (Bright, Justice, and Steele), March, 231

Brass
- fatigue characteristics of five copper-base strip alloys commonly used for spring applications (France, Trout, and Mulholland), September, 633
- generalized parabolic work hardening during tensile deformation of brass (Hartman), March, 104

Bright, Richard, Justice, Alan, and Steele, John: Early hardening of asphaltic binder in bituminous pavement mixtures, March, 231
Bucknall, C. B.: Current research on the structure and mechanical properties of rubber-modified thermoplastics, March, 214
Buoyancy materials
development of a buoyancy material for the deep submergence search vehicle (Vath and Colletti), December, 948
Burst tests
a comparison of the experimental biaxial strength of structural alloys with theoretical predictions (Rawe and Corn), March, 3

C

Cady, P. D.: Mechanisms of frost action in concrete aggregates, June, 294
Calcium chloride
behavior of concrete in saturated and weak solutions of magnesium sulphate or calcium chloride (Neville), December, 781
Carbides
characterization and thermal stability of nickel-base superalloys (Collins and Kortovich), March, 62
Carbon steel
evaluation of elevated-temperature strength data (Smith), December, 878
Carr, F. L. and Larson, F. R.: Fracture surface topography and toughness of AISI 4340 steel, December, 865
Clausing, D. P.: Stress and strain distribution in a tension specimen with a circumferential notch, September, 566
Tensile properties of eight constructional steels between 70 and −320 F, June, 473
Colletti, W.: *See* Vath, F. and Colletti, W.
Collins, H. E. and Kortovich, C. S.: Characterization and thermal stability of nickel-base superalloys, March, 62
Composite materials
the performance of glass-filament-wound pressure vessels with metal liners at cryogenic temperatures (Morris), December, 970
Concrete
behavior of concrete in saturated and weak solutions of magnesium sulphate or calcium chloride (Neville), December, 781
the distribution of concrete strains in the split cylinder test (Franca and Pincus), June, 393
effect of porosity on the strength of concrete (Sandor), June, 356
fracture of concrete (Moavenzadeh and Kuguel), September, 497
mechanisms of frost action in concrete aggregates (Cady), June, 294
neutron attenuation mechanisms in concrete shielding (Greenborg), June, 251
Construction materials
tensile properties of eight constructional steels between 70 and −320 F (Clausing), June, 473
Copper
determination of the cyclic stress-strain curve (Landgraf, Morrow, and Endo), March, 176
Corn, D. L.: *See* Rawe, R. A. and Corn, D. L.
Corrosion
a dynamic hot-corrosion rig testing procedure (Rentz, Walters, and Freeman), September, 520
electrode potential measurements of nickel-base alloys in molten salts (Doering), June, 457
polarization methods for measuring the corrosion of metals buried underground (Jones and Lowe), September, 600
stress corrosion of aluminum alloy 7075-T651 in organic liquids (Procter and Paxton), September, 729
thermochemistry of the hot corrosion of superalloys (Quets and Dresher), September, 583
Corrosion tests
high-temperature corrosion testing of valve alloys (Johnson and Wilde), September, 556
importance of mass transfer in determining the corrosion rate of aluminum using polarization measurements (Craig and Scott), September, 540
Cost, T. L. and Parr, C. H.: Analysis of the biaxial strip test for polymeric materials, June, 312
Cox, T. B. and Eckel, J. F.: Solid solubility of nitrogen in various commercial austenitic stainless steels, June, 282
Crack detection
definition of fatigue cracks through nondestructive testing (Packman, Pearson, Owens, and Young), September, 566
Craig, H. L., Jr. and Scott, J. R.: Importance of mass transfer in determining the corrosion rate of aluminum using polarization measurements, September, 540
Creep
current research on the structure and

mechanical properties of rubber-modified thermoplastics (Bucknall), March, 214
Cumulative damage
cumulative fatigue damage under cyclic strain control (Topper, Sandor, and Morrow), March, 189
Cyclic testing
cyclic stress-strain and fatigue behavior of representative aircraft metals (Endo and Morrow), March, 159

D

Deep oceans
development of a buoyancy material for the deep submergence search vehicle (Vath and Colletti), December, 948
DeForest, D. R.: *See* Fritz, K. E. and DeForest, D. R.
Dislocation (materials)
direct observation of the effect of particle size on dispersion hardening (Prince and Richman), March, 145
Dispersion hardening
direct observation of the effect of particle size on dispersion hardening (Prince and Richman), March, 145
Doering, Harvey vonE.: Electrode potential measurements of nickel-base alloys in molten salts, June, 457
Dresher, W. H.: *See* Quets, J. M. and Dresher, W. H.
Ductility
effect of microstructure on the ductility of steel in torsion (Lemmon and Sherby), June, 444
Dynamic testing
dynamic shear stress-strain-strain rate relations of iron (Yen and Yew), June, 324

E

Eckel, J. F.: *See* Cox, T. B. and Eckel, J. F.
Education
the impact of materials science on materials engineering (Thomson), December, 939
Electrochemical measurements
electrode potential measurements of nickel-base alloys in molten salts (Doering), June, 457
Electron microscopy
current research on the structure and mechanical properties of rubber-modified thermoplastics (Bucknall), March, 214
Elevated temperature
evaluation of elevated-temperature strength data (Smith), December, 878
Elongation
elongational flow (Hoffman), March, 28
Embrittlement
tempered martensite embrittlement and fracture toughness in SAE 4340 steel (Kula and Anctil), December, 817
Endo, T.: *See* Landgraf, R. W., Morrow, JoDean, and Endo, T.
Endo, T., and Morrow, JoDean: Cyclic stress-strain and fatigue behavior of representative aircraft metals, March, 159
Engineering education
the impact of materials science on materials engineering (Thomson), December, 939
Engine valves
high-temperature corrosion testing of valve alloys (Johnson and Wilde), September, 556
Environmental testing
modified WOL specimen for K_{Iscc} environmental testing (Novak and Rolfe), September, 701
Epoxy resin
development of a buoyancy material for the deep submergence search vehicle (Vath and Colletti), December, 948
Explosive forming
advances in the theory of explosive metalworking (Ezra), June, 338
Exposure
comparison of sunlight and carbon arc exposure of polyesters by resulting chemical activity (Mackinney), March, 92
Ezra, A. A.: Advances in the theory of explosive metalworking, June, 338

F

Fatigue
cumulative fatigue damage under cyclic strain control (Topper, Sandor, and Morrow), March, 189
cyclic stress-strain and fatigue behavior of representative aircraft metals (Endo and Morrow), March, 159
definition of fatigue cracks through nondestructive testing (Packman, Pearson, Owens, and Young), September, 666
determination of the cyclic stress-strain curve (Landgraf, Morrow, and Endo), March, 176
fatigue characteristics of five copper-base strip alloys commonly used for spring applications (France, Trout, and Mulholland), September, 633
Fatigue life
Neuber's rule applied to fatigue of

notched specimens (Topper, Wetzel, and Morrow), March, 200
Fatigue strength
fatigue strength of induction hardened railway axles (Nishioka, Ishii, and Komatsu), June, 413
Fatigue stress
Neuber's rule applied to fatigue of notched specimens (Topper, Wetzel, and Morrow), March, 200
Flaw detection
modified WOL specimen for K_{Iscc} environmental testing (Novak and Rolfe), September, 701
Flow
elongational flow (Hoffman), March, 28
Foundations
the mechanics of load mobilization in friction piles (Hanna), December, 924
Fracture
fracture surface topography and toughness of AISI 4340 steel (Carr and Larson), December, 865
Fracture mechanics
modified WOL specimen for K_{Iscc} environmental testing (Novak and Rolfe), September, 701
Fracture properties
fracture of concrete (Moavenzadeh and Kuguel), September, 497
progress in the development and manufacture of higher strength nonmagnetic retaining rings (Fritz and DeForest), September, 647
Fracture toughness
fracture toughness of beryllium (Harrod, Hengstenberg, and Manjoine), September, 618
Franca, G. de Carvalho, and Pincus, George: The distribution of concrete strains in the split cylinder test, June, 393
France, W. D., Trout, D. E. and Mulholland, J. A.: Fatigue characteristics of five copper-base strip alloys commonly used for spring applications, September, 633
Freeman, W. R., Jr.: *See* Rentz, W. A., Walters, J. J. and Freeman, W. R., Jr.
Fretting fatigue
fatigue strength of induction hardened railway axles (Nishioka, Ishii, and Komatsu), June, 413
Friction
review of test methods for tire friction characteristics (Meyer and Schrock), March, 44
Fritz, K. E. and DeForest, D. R.: Progress in the development and manufacture of higher strength nonmagnetic retaining rings, September, 647
Frost action
mechanisms of frost action in concrete aggregates (Cady), June, 294

G

Gas turbine
a dynamic hot-corrosion rig testing procedure (Rentz, Walters, and Freeman), September, 520
thermochemistry of the hot corrosion of superalloys (Quets and Dresher), September, 583
Glass
development of a buoyancy material for the deep submergence search vehicle (Vath and Colletti), December, 948
Glass-filament winding
the performance of glass-filament-wound pressure vessels with metal liners at cryogenic temperatures (Morris), December, 970
Gray cast iron
thermal fatigue resistance of gray cast iron, (Rostoker), December, 909
Greenborg, J.: Neutron attenuation mechanisms in concrete shielding, June, 251

H

Ham, Inyong: *See* Schmidt, A. O. and Ham, Inyong
Hanna, T. H.: The mechanics of load mobilization in friction piles, December, 924
Hansen, W. C.: Potential compound compositions of portland cements, September, 761
Harrod, D. L., Hengstenberg, T. F., and Manjoine, M. J.: Fracture toughness of beryllium, September, 618
Hartman, W. F.: Generalized parabolic work hardening during tensile deformation of brass, March, 104
Hengstenberg, T. F.: *See* Harrod, D. L., Hengstenberg, T. F., and Manjoine, M. J.
High temperature tests
a dynamic hot-corrosion rig testing procedure (Rentz, Walters, and Freeman), September, 520
high-temperature corrosion testing of valve alloys (Johnson and Wilde), September, 556
Highways
early hardening of asphaltic binder in bituminous pavement mixtures (Bright, Justice, and Steele), March, 231
fracture of concrete (Moavenzadeh and Kuguel), September, 497
Hoffman, E. J.: Elongational flow, March, 28
Hofmann, C. M. and Miller, R. L.: Resistance of passenger tires to atmospheric exposure, March, 31
Hopkinson pressure bar
dynamic shear stress-strain-strain

rate relations of iron (Yen and Yew), June, 324
Hydrocarbons
an improved viscosity-temperature chart for hydrocarbons (Wright), March, 19, errata, June, 493

I

Induction hardening
fatigue strength of induction hardened railway axles (Nishioka, Ishii, and Komatsu), March, 413
Ishii, K.: *See* Nishioka, K., Ishii, K., and Komatsu, H.

J

Johnson, V. A. and Wilde, R. A.: High-temperature corrosion testing of valve alloys, September, 556
Jones, D. A. and Lowe, T. A.: Polarization methods for measuring the corrosion of metals buried underground, September, 600
Justice, Alan: *See* Bright, Richard, Justice, Alan, and Steele, John

K

Komatsu, H.: *See* Nishioka, K., Ishii, K., and Komatsu, H.
Kortovich, C. S.: *See* Collins, H. E. and Kortovich, C. S.
Kuguel, Roberto: *See* Moavenzadeh, Fred and Kuguel, Roberto
Kula, E. B. and Anctil, A. A.: Tempered martensite embrittlement and fracture toughness in SAE 4340 steel, December, 817

L

Landgraf, R. W., Morrow, JoDean, and Endo, T.: Determination of the cyclic stress-strain curve, March, 176
Larson, F. R.: *See* Carr, F. L. and Larson, F. R.
Lemmon, D. C. and Sherby, O. D.: Effect of microstructure on the ductility of steel in torsion, June, 444
Lime soil
engineering properties of lime-soil mixtures, (Thompson), December, 968
Logistic function
tables of the logistic function (McCrea), March, 210
Lowe, T. A.: *See* Jones, D. A. and Lowe, T. A.
Lumber
modulus of elasticity and bending-strength ratio as indicators of tensile strength of lumber (Orosz), December, 842

M

Mackinney, H. W.: Comparison of sunlight and carbon arc exposure of polyesters by resulting chemical activity, March, 92
Magnetic particle tests
definition of fatigue cracks through nondestructive testing (Packman, Pearson, Owens, and Young), September, 666
Manjoine, M. J.: *See* Harrod, D. L., Hengstenberg, T. F., and Manjoine, M. J.
Martensite
tempered martensite embrittlement and fracture toughness in SAE 4340 steel (Kula and Ancil), December, 817
Martensitic stainless steels
thermal fatigue resistance of martensitic steels (Rostoker), March, 117
Mass spectrometry
tables of the logistic function (McCrea), March, 210
McCrea, J. M.: Tables of the logistic function, March, 210
Metal working
advances in the theory of explosive metalworking (Ezra), June, 338
Meyer, W. E. and Schrock, M. O.: Review of test methods for tire friction characteristics, March, 44
Microstructure
characterization and thermal stability of nickel-base superalloys (Collins and Kortovich), March, 62
effect of microstructure on the ductility of steel in torsion (Lemmon and Sherby), June, 444
Miller, R. L.: *See* Hofmann, C. M. and Miller, R. L.
Minshull, J. A.: Nomogram for the calculation of shear stress, rate of shear, and viscosity from sliding plate microviscometer data, June, 408
Note on the geometry of the sliding plate microviscometer, June, 372
Moavenzadeh, Fred and Kuguel, Roberto: Fracture of concrete, September, 497
Modulus of elasticity
modulus of elasticity and bending-strength ratio as indicators of tensile strength of lumber (Orosz), December, 842
Molten salts
electrode potential measurements of nickel-base alloys in molten salts (Doering), June, 457
Morris, E. E.: The performance of glass-filament-wound pressure vessels with metal liners at cryogenic temperatures, December, 970
Morrow, JoDean: *See* Endo, T. and Morrow, JoDean
See Landgraf, R. W., Morrow, JoDean, and Endo, T.

See Topper, T. H., Sandor, B. I., and Morrow, JoDean
See Topper, T. H., Wetzel, R. M., and Morrow, JoDean
Mulholland, J. A.: *See* France, W. D., Trout, D. E. and Mulholland, J. A.

N

Neutron absorption
neutron attenuation mechanisms in concrete shielding (Greenborg), June, 251
Neutron irradiation
fracture toughness of beryllium (Harrod, Hengstenberg, and Manjoine), September, 618
Neville, A. M.: Behavior of concrete in saturated and weak solutions of magnesium sulphate or calcium chloride, December, 781
Nickel-base superalloys
characterization and thermal stability of nickel-base superalloys (Collins and Kortovich), March, 62
Nishioka, K., Ishii, K. and Komatsu, H.: Fatigue strength of induction hardened railway axles, June, 413
Nitrogen
solid solubility of nitrogen in various commercial austenitic stainless steels (Cox and Eckel), June, 282
Nondestructive tests
definition of fatigue cracks through nondestructive testing (Packman, Pearson, Owens, and Young), September, 666
Notch testing
stress and strain distribution in a tension specimen with a circumferential notch (Clausing), September, 566
Novak, S. R. and Rolfe, S. T.: Modified WOL specimen for K_{Iscc} environmental testing, September, 701

O

Orosz, Ivan: Modulus of elasticity and bending-strength ratio as indicators of tensile strength of lumber, December, 842
Outa, Massakazu: Functional specimen of the tension test of rubber, June, 437
Owens, J. S.: *See* Packman, P. F., Pearson, H. S., Owens, J. S., and Young, G.
Ozone resistance
resistance of passenger tires to atmospheric exposure (Hofmann and Miller), March, 31

P

Packman, P. F., Pearson, H. S., Owens, J. S., and Young, G.: Definition of fatigue cracks through nondestructive testing, September, 666
Parr, C. H.: *See* Cost, T. L. and Parr, C. H.
Pavements
engineering properties of lime-soil mixtures (Thompson), December, 968
Paxton, H. W.: *See* Procter, R. P. M. and Paxton, H. W.
Pearson, H. S.: *See* Packman, P. F., Pearson, H. S., Owens, J. S., and Young, G.
Petroleum products
an improved viscosity-temperature chart for hydrocarbons (Wright), March, 19
Phosphor bronzes
fatigue characteristics of five copper-base strip alloys commonly used for spring applications (France, Trout, and Mulholland), September, 633
Pile foundations
the mechanics of load mobilization in friction piles (Hanna), December, 924
Pincus, George: *See* Franca, G. de Carvalho and Pincus, George
Plastic deformation
yielding and plastic instability under biaxial stress in design of metal pressure vessels (Sines), June, 377
Plastics, rubber-modified
current research on the structure and mechanical properties of rubber-modified thermoplastics (Bucknall), March, 214
Polarization
importance of mass transfer in determining the corrosion rate of aluminum using polarization measurements (Craig and Scott), September, 540
Polyesters
comparison of sunlight and carbon arc exposure of polyesters by resulting chemical activity (Mackinney), March, 92
Polymers
analysis of the biaxial strip test for polymeric materials (Cost and Parr), June, 312
Popovics, Sándor: Effect of porosity on the strength of concrete, June, 356
Porosity
effect of porosity on the strength of concrete (Popovics), June, 356
Portland cements
potential compound compositions of portland cements (Hansen), September, 761
Pressure vessels
a comparison of the experimental biaxial strength of structural alloys with theoretical predictions (Rawe and Corn), March, 3
evaluation of elevated-temperature

strength data (Smith), December, 878
the performance of glass-filament-wound pressure vessels with metal liners at cryogenic temperatures (Morris), December, 970
yielding and plastic instability under biaxial stress in design of metal pressure vessels (Sines), June, 377
Prince, K. D. and Richman, M. H.: Direct observation of the effect of particle size on dispersion hardening, March, 145
Procter, R. P. M. and Paxton, H. W.: Stress corrosion of aluminum alloy 7075-T651 in organic liquids, September, 729
Pure iron
dynamic shear stress-strain-strain rate relations of iron (Yen and Yew), June, 324

Q

Quets, J. M. and Dresher, W. H.: Thermochemistry of the hot corrosion of superalloys, September, 583

R

Radiation shielding
neutron attenuation mechanisms in concrete shielding (Greenborg), March, 251
Railroads
fatigue strength of induction hardened railway axles (Nishioka, Ishii, and Komatsu), June, 413
Rawe, R. F. and Corn, D. L.: A comparison of the experimental biaxial strength of structural alloys with theoretical prediction, March, 3
Rentz, W. A., Walters, J. J., and Freeman, W. R., Jr.: A dynamic hot-corrosion rig testing procedure, September, 520
Residual stress
residual stresses in an overstrained thick-walled cylinder as affected by stress relief treatment (Acquaviva), June, 286
Richman, M. H.: *See* Prince, K. D. and Richman, M. H.
Rolfe, S. T.: *See* Novak, S. R. and Rolfe, S. T.
Rostoker, W.: Thermal fatigue resistance of gray cast iron, December, 909
Thermal fatigue resistance of martensitic steels, March, 117
Rubber
functional specimen of the tension test of rubber (Outa), June, 437

S

Sandor, B. I.: *See* Topper, T. H., Sandor, B. I., and Morrow, JoDean
Schmidt, A. O. and Ham, Inyong: Experimental and theoretical evaluation of tool wear, December, 1005
Schrock, M. O.: *See* Meyer, W. E. and Schrock, M. O.
Scott, J. R.: *See* Craig, H. L., Jr. and Scott, J. R.
Shear rate
nomogram for the calculation of shear stress, rate of shear, and viscosity from sliding plate microviscometer data (Minshull), June, 408
Shear stress
nomogram for the calculation of shear stress, rate of shear, and viscosity from sliding plate microviscometer data (Minshull), June, 408
Sherby, O. D.: *See* Lemmon, D. C. and Sherby, O. D.
Sines, George: Yielding and plastic instability under biaxial stress in design of metal pressure vessels, June, 377
Smith, G. V.: Evaluation of elevated-temperature strength data, December, 878
Soils
the mechanics of load mobilization in friction piles, (Hanna), December, 924
Spectrochemistry
tables of the logistic function (McCrea), March, 210
Split cylinder test
the distribution of concrete strains in the split cylinder test (Franca and Pincus), June, 393
Stainless steels
evaluation of elevated-temperature strength data (Smith), December, 878
Statistics
tables of the logistic function (McCrea), March, 210
Steel
cumulative fatigue damage under cyclic strain control (Topper, Sandor, and Morrow), March, 189
cyclic stress-strain and fatigue behavior of representative aircraft metals (Endo and Morrow) March, 159
determination of the cyclic stress-strain curve (Landgraf, Morrow, and Endo), March, 176
effect of microstructure on the ductility of steel in torsion (Lemmon and Sherby), June, 444
experimental and theoretical evaluation of tool wear (Schmidt and Ham), December, 1005
fracture surface topography and toughness of AISI 4340 steel (Carr and Larson), December, 865
polarization methods for measuring the corrosion of metals buried

underground (Jones and Lowe), September, 600
tempered martensite embrittlement and fracture toughness in SAE 4340 steel (Kula and Anctil), December, 817
tensile properties of eight constructional steels between 70 and −320 F (Clausing), June, 473
thermal fatigue resistance of martensitic steels (Rostoker), March, 117
Steel forgings
progress in the development and manufacture of higher strength nonmagnetic retaining rings (Fritz and DeForest), September, 647
Steel, high-strength
a comparison of the experimental biaxial strength of structural alloys with theoretical predictions (Rawe and Corn), March, 3
Steele, John: *See* Bright, Richard, Justice, Alan, and Steele, John
Strain
stress and strain distribution in a tension specimen with a circumferential notch (Clausing), September, 566
Strain distribution
the distribution of concrete strains in the split cylinder test (Franca and Pincus), June, 393
Strain measurement
dynamic shear stress-strain-strain rate relations of iron (Yen and Yew), June, 324
residual stresses in an overstrained thick-walled cylinder as affected by stress relief treatment (Acquaviva), June, 286
Stress
stress and strain distribution in a tension specimen with a circumferential notch (Clausing), September, 566
Stress analysis
analysis of the biaxial strip test for polymeric materials (Cost and Parr), June, 312
Stress-corrosion
stress corrosion of aluminum alloy 7075-T651 in organic liquids (Proctor and Paxton), September, 729
Stress relieving
residual stresses in an overstrained thick-walled cylinder as affected by stress relief treatment (Acquaviva), June, 286
Stress-strain curves
dynamic shear stress-strain-strain rate relations of iron (Yen and Yew), June, 324
Subcritical flaw growth
modified WOL specimen for K_{Iscc} environmental testing (Novak and Rolfe), September, 701
Sulphate attack
behavior of concrete in saturated and weak solutions of magnesium sulphate or calcium chloride (Neville), December, 781
Sulphate-resisting cements
potential compound compositions of portland cements (Hansen), September, 761
Superalloys
a dynamic hot-corrosion rig testing procedure (Rentz, Walters, and Freeman), September, 520
Syntactic foam
development of a buoyancy material for the deep submergence search vehicle (Vath and Colletti), December, 948

T

Tension tests
functional specimen of the tension test of rubber (Outa), June, 437
generalized parabolic work hardening during tensile deformation of brass (Hartman), March, 104
stress and strain distribution in a tension specimen with a circumferential notch (Clausing), September, 566
tensile properties of eight constructional steels between 70 and −320 F (Clausing), June, 473
Test vehicles
review of test methods for tire friction characteristics (Meyer and Schrock), March, 44
Thermal fatigue
thermal fatigue resistance of gray cast iron (Rostoker), December, 909
thermal fatigue resistance of martensitic steels (Rostoker), March, 117
Thermochemistry
thermochemistry of the hot corrosion of superalloys (Quets and Dresher), September, 583
Thompson, M. R.: Engineering properties of lime-soil mixtures, December, 968
Thomson, R. M.: The impact of materials science on materials engineering, December, 939
Tire friction
review of test methods for tire friction characteristics (Meyer and Schrock), March, 44
Titanium
cumulative fatigue damage under cyclic strain control (Topper, Sandor, and Morrow), March, 189
development of a buoyancy material for the deep submergence search vehicle (Vath and Colletti), December, 948

Titanium alloys
cyclic stress-strain and fatigue behavior of representative aircraft metals (Endo and Morrow), March, 159
determination of the cyclic stress-strain curve (Landgraf, Morrow, and Endo), March, 176
experimental and theoretical evaluation of tool wear (Schmidt and Ham), December, 1005
Tool life
experimental and theoretical evaluation of tool wear (Schmidt and Ham), December, 1005
Topper, T. H., Sandor, B. I., and Morrow, JoDean: Cumulative fatigue damage under cyclic strain control, March, 189
Topper, T. H., Wetzel, R. M., and Morrow, JoDean: Neuber's rule applied to fatigue of notched specimens, March, 200
Toughness
fracture surface topography and toughness of AISI 4340 steel (Carr and Larson), December, 865
progress in the development and manufacture of higher strength nonmagnetic retaining rings (Fritz and DeForest), September, 647
Trout, D. E.: *See* France, W. D., Trout, D. E. and Mulholland, J. A.
Tungsten alloys
experimental and theoretical evaluation of tool wear (Schmidt and Ham), December, 1005

U

Ultrasonic tests
definition of fatigue cracks through nondestructive testing (Packman, Pearson, Owens, and Young), September, 666
Underground corrosion
polarization methods for measuring the corrosion of metals buried underground (Jones and Lowe), September, 600

V

Valves
high-temperature corrosion testing of valve alloys (Johnson and Wilde), September, 556
Vath, F. and Colletti, W.: Development of a buoyancy material for the deep submergence search vehicle, December, 948
Vehicles
development of a buoyancy material for the deep submergence search vehicle (Vath and Colletti), December, 948
Viscometers
nomogram for the calculation of shear stress, rate of shear, and viscosity from sliding plate microviscometer data (Minshull), June, 408
note on the geometry of the sliding plate microviscometer (Minshull), June, 372
Viscosity
elongational flow (Hoffman), March, 28
nomogram for the calculation of shear stress, rate of shear, and viscosity from sliding plate microviscometer data (Minshull), June, 408
Viscosity-temperature chart
an improved viscosity-temperature chart for hydrocarbons (Wright), March, 19, errata, June, 493

W

Walters, J. J.: *See* Rentz, W. A., Walters, J. J., and Freeman, W. R., Jr.
Wear tests
experimental and theoretical evaluation of tool wear (Schmidt and Ham), December, 1005
Wetzel, R. M.: *See* Topper, T. H., Wetzel, R. M., and Morrow, JoDean
Wilde, R. A.: *See* Johnson, V. A. and Wilde, R. A.
Wood
modulus of elasticity and bending-strength ratio as indicators of tensile strength of lumber (Orosz), December, 842
Work hardening
generalized parabolic work hardening during tensile deformation of brass (Hartman), March, 104
Wright, W. A.: An improved viscosity-temperature chart for hydrocarbons, March, 19, errata, June, 493

Y

Yen, C. C. S. and Yew, C. H.: Dynamic shear stress-strain-strain rate relations of iron, June, 324
Yew, C. H.: *See* Yen, C. C. S. and Yew, C. H.
Yield strength
yielding and plastic instability under biaxial stress in design of metal pressure vessels (Sines), June, 377
Young, G.: *See* Packman, P. F., Pearson, H. S., Owens, J. S., and Young, G.